



# BOAT PARTS

YACHT, DINGHY, KAYAK AND POWER BOAT FITTINGS

Manufacturers of Yacht, Dinghy, Kayak  
and Power boat fittings

With over 45 years of proven quality and service



**CORDAGE SPECIALISTS**

**REB MARKETING**  
Distributing Agent

**Tel: (011) 452 9131**

**Cell: 072 965 6792**

**Fax: (011) 609 4615**

**15 Imvubu Road,  
Sebenza Ext 6, Edenvale  
[orders@rebmarketing.co.za](mailto:orders@rebmarketing.co.za)**




Made in South Africa

### BG 1 (A)

#### BG 1 (A) BURGEE (STANDARD)

Sturdy 3mm dia tough nylon frame with wind vane and aluminium shaft. Flag 140mm X 100mm light terylene material stitched with polyester thread. Balance of Burgee can be adjusted by cutting tab provided. To be used with BG2 Burgee Holder.



### BG 1 (B)

#### BG 1 (B) CATAMARAN BURGEE

Sturdy 3mm dia tough nylon frame with wind vane and stainless steel shaft. Flag 140mm X 100mm light terylene material stitched with polyester thread. Balance of Burgee can be adjusted by cutting tab provided. Fits in upside down position on forestay chain plates of Catamarans with nylon mounting bracket and pin supplied.



### BG 2

#### BG 2 BURGEE HOLDER

Length 34mm. Suitable for 3mm or 5mm Shaft. Manufactured from black or white nylon.



### BG 3

#### BG 3 FIXED FAIRLEAD

Length 68mm. Screw hole pitch 48mm. Suitable for rope maximum 16mm. Manufactured from black or white nylon.



### BG 4 (A)

#### BG 4 (A) BULLSEYE FAIRLEAD (Small)

Base 26mm. Screw hole pitch 15mm. Suitable for rope up to 6mm. Manufactured from black or white nylon.



### BG 4 (B)

#### BG 4 (B) BULLSEYE FAIRLEAD (Large)

Base 40mm. Screw hole pitch 24mm. Suitable for rope up to 10mm. Manufactured from black or white nylon.



### BG 5

#### BG 5 FERRULED BULLSEYE FAIRLEAD (Large)

Base 40mm. Screw hole pitch 24mm. Suitable for rope up to 10mm. With stainless steel ferrule. Manufactured from black or white nylon.



### BG 6

#### BG 6 DEAD EYE FAIRLEAD


Base 40mm. Screw hole pitch 24mm. Suitable for rope up to 10mm. Manufactured from black or white nylon.



### BG 7

#### BG 7 U-BOLT FERRULED FAIRLEAD

8mm dia stainless steel U-Bolt, 42mm pitch, 90mm long thread with S/steel nuts & backing plate. It has a nylon plastic insert with a S/steel ferrule. Used with rope up to 16mm.



**BG 8**

**BG 8 SPINNAKER BOOM OR WHISKER POLE BRACKET**

Curved base for easy riveting or screwing to aluminium or wooden masts from 50mm to 80mm dia. Suitable for use with BG9, BG10 & BG11. Manufactured from nylon.



**BG 9**

**BG 9 SPINNAKER BOOM OR WHISKER POLE SPIKE**

Suitable for 25mm OD dia aluminium tube. To be used with BG8 & BG10. Manufactured from nylon.



**BG 10**

**BG 10 SPINNAKER BOOM OR WHISKER POLE HOOK**

Suitable for 25mm OD dia aluminium tube. To be used with BG8 & BG9. Manufactured from nylon.



**BG 11**

**BG 11 SPINNAKER BOOM OR WHISKER POLE JOINER**

Male & female joiners with stainless steel nut & bolt. Used to extend or shorten spinnaker boom or whisker poles. Suitable for 25mm OD dia aluminium tube. To be used with BG8 & BG9. Manufactured from nylon.



**FEMALE**  
10mm Nut.

**MALE**  
10mm Bolt.

**BG 13**

**BG 13 NYLON RING**

Used together with the nylon sail shackle BG 34 on spinnakers or jibs. Manufactured from nylon.



**BG 12**

**BG 12 QUICK RELEASE SPRING CLIP**

Suitable for 25mm tubing. With 2 screw holes, 9.5mm pitch, 4mm dia holes. Manufactured from black or white nylon.



**BG 14 (B)**

**BG14 (B) TOESTRAP WASHER**

With 4.5mm hole. Used for securing 25mm webbing. Manufactured from black or white nylon.



**BG 14 (A)**

**BG14 (A) TOESTRAP PLATE**

50mm long x 18.5mm wide with 28mm pitch screw holes. Used with 4mm counter sunk screws. Used for securing buoyancy bags or a 50mm wide (webbing) toestrap. Manufactured from black or white nylon.



**BG 14 (C)**

**BG14 (C) TOESTRAP DOMED WASHER**

With 5mm hole. Used for securing 25mm webbing. Manufactured from black nylon.



**BG 14 (D)**

**BG14 (D) TOESTRAP PLATE**

30mm long x 16mm wide with 13mm pitch screw holes. Used with 4mm or 5mm counter sunk screws. Used for securing buoyancy bags or a 25mm wide (webbing) toestrap. Manufactured from black or white nylon.



**BG 15**

**BG 15 RUDDER RETAINING CLIP**

35mm long, used on small dinghies to prevent rudders sinking after capsizing. Manufactured from black nylon.





**BG 17 (A)**

**BG 17(A) DECK BUSH (SMALL)**

The small Deck Bush fits into a 16mm hole.  
Has a 10mm inside dia hole with a 28mm  
screw hole pitch. Suitable for rope up to 8mm dia.  
Manufactured from black or white nylon.

**BG 17 (B)**

**BG 17(B) DECK BUSH (LARGE)**

The Large Deck Bush fits into a 22mm hole.  
Has a 16mm inside dia hole with a 33mm  
screw hole pitch.  
Suitable for rope up to 12mm dia.  
Manufactured from black or white nylon.



**BG 18**


**BG 18 FERRULED DECK BUSH**

With stainless steel ferrule.  
The Large Ferruled Deck Bush fits into a 22mm hole.  
Has a 16mm inside dia hole with a 33mm screw hole pitch.  
Suitable for rope up to 12mm dia.  
Manufactured from black or white nylon.

**BG 19 (A)**

**BG 19(A) DECK BUSH (LARGE) WITH BUNG**

The Large Deck Bush fits into a 22mm hole.  
Has a 16mm inside dia hole with a 33mm screw hole pitch.  
Suitable for rope up to 12mm dia. Manufactured from black nylon.  
Bung manufactured from black polyethylene.



**BG 19 (B)**

**BG 19 (B) PUSH-IN  
BUNG**

Push-in Bung only. Manufac-



**BG 20 (A)**


**BG20 (A) TRANSOM DRAIN SOCKET  
WITH BUNG & SEALING RING**

Used for draining water from boat hulls, hatches or containers.  
Socket with retaining ear on side.  
Socket fits into hole 25mm dia. Screw hole pitch 39mm.  
Bung and sealing ring available as spares.  
Manufactured from black or white nylon.

**BG 20 (A)(2)**

**BG 20 (A)(2) DRAIN SOCKET ONLY**

Socket with retaining ear on side. Socket fits into hole 25mm dia.  
Screw hole pitch 39mm. Manufactured from black or white nylon.



**BG 20 (B)**

**BG 20 (B) BUNG & SEAL ONLY**

Used with BG 20 (A) socket.  
Manufactured from black or white nylon.



**BG 20 (B)(1)**

BG 20 (B) (1) Bung Seal only, used with BG 20.



## **BG 21** NYLON & HOSTAFORM SHEAVE WHEELS

**BG 021(A)(1)** – NYLON 25mm DIA X 12mm Wide X 7mm Hole

**BG 021(A)(2)** – HOSTAFORM 25mm DIA X 12mm Wide X 7mm Hole

**BG 021(A)(3)** – NYLON 25mm DIA X 12mm Wide X 8.5mm Hole

**BG 021(B)(1)** – NYLON 26mm DIA X 9mm Wide X 8.5mm Hole (recessed side walls)

**BG 021(B)(2)** – HOSTAFORM 26mm DIA X 9mm Wide X 8.5mm Hole (recessed side walls)

**BG 021(B)(3)** – S/S BUSH TO FIT 26mm X 9mm X 8.5mm (Bush 10mm long)

**BG 021(C)(1)** – NYLON 39mm DIA X 12mm Wide X 8.5mm Hole

**BG 021(C)(2)** – HOSTAFORM 39mm DIA X 12mm Wide X 8.5mm Hole

**BG 021(D)(1)** – NYLON 44mm DIA X 12mm Wide X 8.5mm Hole

**BG 021(D)(2)** – HOSTAFORM 44mm DIA X 12mm Wide X 8.5mm Hole

**BG 021(D)(3)** – S/S BUSH TO FIT 44mm X 12mm X 8.5mm (Bush 13mm long)

**BG 021(E)(1)** – NYLON 50mm DIA X 14mm Wide X 10.5mm Hole

**BG 021(E)(2)** – HOSTAFORM 50mm DIA X 14mm Wide X 10.5mm Hole

**BG 021(E)(3)** – S/S BUSH TO FIT 50mm X 14mm X 10.5mm (Bush 15mm long)

**BG 021(F)(1)** – NYLON 65mm DIA X 17mm Wide X 12.5mm Hole

**BG 021(F)(2)** – HOSTAFORM 65mm DIA X 17mm Wide X 12.5mm Hole

**BG 021(F)(3)** – S/S BUSH TO FIT 65mm X 17mm X 12.5mm (Bush 18mm long)

**BG 021(G)(1)** – NYLON 80mm DIA X 19mm Wide X 12.5mm Hole

**BG 021(G)(2)** – HOSTAFORM 80mm DIA X 19mm Wide X 12.5mm Hole

**BG 021(I)(1)** – NYLON 17mm DIA X 6mm Wide X 8.5mm Hole

**BG 021(I)(2)** – WHITE NYLON 17mm DIA X 6mm Wide X 8.5mm Hole



**BG 21**  
Stainless Steel bushes

## **BG 22(C) HALLIARD CLEAT (LARGE)**

115mm overall length. Screw hole pitch 40mm.  
Suitable for rope up to 10mm dia.

## **BG 22(B) HALLIARD CLEAT (MEDIUM)**

85mm overall length. Screw hole pitch 28mm.  
Suitable for rope up to 8mm dia.

## **BG 22(A) HALLIARD CLEAT (SMALL)**


65mm overall length. Screw hole pitch 24mm.  
Suitable for rope up to 6mm dia.



## BG 23 (A)(1&2)

### BG 23(A) RECTANGULAR ALU TILLER EXTENSION


- 1) 76 cm
- 2) 1 meter



## BG 23 (B)(1&2)

### BG 23(B)(1&2) ROUND ALU TILLER EXTENSION

- 1) 76 cm
- 2) 1 meter




## BG 23 (D)(1)

### BG 23(D)(1) TILLER EXTENSION SWIVEL COUPLING RECTANGULAR



## BG 23 (D)(2)

### BG 23(D)(2) TILLER EXTENSION SWIVEL COUPLING ROUND



## BG 23 (E)(1-3)

### BG 23 (E)(1-3) TELESCOPIC TILLER EXTENSIONS

- 1) 900mm to 1.4 meters
- 2) 1 meter to 1.7 meters
- 3) 1.5meters to 2 meters



## BG 24 (A)

### BG 24 (A) TILLER EXTENSION CLIP RECTANGULAR :- 16mm x 10mm




## BG 24 (B)

### BG 24 (B) TILLER EXTENSION CLIP ROUND :- 16mm Dia



## BG 25

### BG 25 TILLER EXTENSION UNIVERSAL JOINT :- 19 mm Dia



## BG 26 (A&B)

### BG 26 (A&B) FLARE HOLDERS

- A - Small 30mm ID
- B - Large 40mm ID



### **BG 28(A1)**

#### **BG 28 (A1) BG CAM CLEAT**

Small with S/S base.  
Hole Pitch :- 42mm.



### **BG 27**

#### **BG 27 ALL PLASTIC CAM CLEAT**

Hole Pitch :- 42 mm.



### **BG 28(A2)**

#### **BG 28(A2) BG CAM CLEAT**

Small with S/S base & S/S saddle.  
Hole Pitch :- 42mm.



### **BG 28(B1)**

#### **BG 28(B1) BG CAM CLEAT**

Small with plastic base.  
Hole Pitch :- 42mm.



### **BG 28(B2)**

#### **BG 28(B2) BG CAM CLEAT**

Small with plastic base & S/S saddle.  
Hole Pitch :- 42mm.



### **BG 28(C1)**

#### **BG 28(C1) BG CAM CLEAT**

Large with S/S base.  
Hole Pitch :- 48mm.



### **BG 28(C2)**

#### **BG 28(C2) BG CAM CLEAT**

Large with S/S base & S/S saddle.  
Hole Pitch :- 48mm.



### **BG 28(D1)**

#### **BG 28(D1) BG CAM CLEAT**


Large with plastic base.  
Hole Pitch :- 48mm.



### **BG 28(D2)**

#### **BG 28(D2) BG CAM CLEAT**

Large with plastic base & S/S saddle.  
Hole Pitch :- 48mm.



### **BG 28(F)**

#### **BG 28(F) MINI CAM CLEAT**

49mm wide with or without rope guide.  
Hole Pitch :- 28mm.

### **BG 29**

#### **BG 29 BG EYE CLEAT**

With S/S Base and rope guide.  
Hole Pitch :- 48mm.





## ← BG 32 (A&B)

### BG 32 (A&B) PLASTIC SAIL LACING SLIDE

A - 16mm  
B - 22mm  
Available in black or white nylon.

## BG 32 (C-G)

### BG 32 (C-G) S/S SAIL LACING SLIDES

C - 16mm, E - 22mm,  
F - 26mm, G - 23mm.



## → BG 33(A&B)

### BG 33(A&B) SAIL HEADBOARD

A - Small (100mm x 78mm) per set.  
B - Medium (116mm x 101mm) per set.



## ↑ BG 34

**BG 34 PLASTIC SAIL  
SHACKLE** With S/S Screw.  
Available in white nylon only.




## ← BG 36

**BG 36 PLASTIC NUT**  
Available in black nylon only.

## → BG 39(A-D)

### BG 39(A-D) S/S CLEVIS RINGS


A - 10mm OD x 1.1/2 coil  
B - 10mm OD x 2.1/2 coil  
C - 17mm OD x 1.1/2 coil  
D - 17mm OD x 3 coils



## → BG 38(B-I)

### BG 38(B-I) S/S WASHERS

B - 12,3mm OD x 6,5mm ID  
C - 25mm OD x 6mm ID x 1,5mm  
D - 25mm OD x 8mm ID x 1,5mm  
E - 25mm OD x 10mm ID x 1,5mm  
G - 38mm OD x 12,5mm ID x 1,2mm  
H - 25mm OD x 5mm ID  
I - 38mm OD x 6mm ID x 1,2mm



## ↓ BG 40(1-9)

### BG 40 (1-9) CLEVIS PINS & RINGS

1 - 5mm DIA x 14mm long with 1mm DIA 1.1/2 coil ring  
2 - 5mm DIA x 20mm long with 1mm DIA 1.1/2 coil ring  
3 - 6mm DIA x 16mm long with 1mm DIA 3 coil ring  
4 - 6mm DIA x 23mm long with 1mm DIA 2.1/2 coil ring  
5 - 6mm DIA x 33mm long with 1mm DIA 2.1/2 coil ring  
6 - 10mm DIA x 12mm long with 5mm DIA split pin  
7 - 10mm DIA x 27mm long with 5mm DIA split pin  
8 - 5mm DIA x 10mm long with 1.1/2 coil ring  
9 - 6mm DIA x 12mm long with 1.1/2 coil ring



## BG 42 (A-B)

### BG 42 (A - B) S/S SHACKLES

A - Strip shackle - small - 9 x 18  
A1 - Strip shackle - small - 9 x 20  
B - Strip shackle - large - 16 x 38



## BG 42 (C-G)

### BG 42 (C - G)

C2 - S/S 5mm D Shackle 10 x 20  
C3 - S/S 6mm D Shackle 12 x 20  
E2 - S/S 5mm Long D Shackle 12 x 38  
F1 - S/S 5mm Bow Shackle 18mm ID  
F2 - S/S 6mm Bow Shackle



## BG 41

### BG 41 S/S SWIVEL

With 2 Clevis Pins & Rings.  
Inside size 11mm x 8mm.



## BG 43(A)

### BG 43 (A) S/S BASE

10mm swivel pin & strip shackle.  
Base 39mm square.



## BG 43(B)

### BG 43(B) S/S BASE

Swivelling "U" bracket and clevis pin. Base 39mm square.



## BG 44(B1)

### BG 44(B1) S/S RIGGING LINK

Mini 3mm round bar (no pin).  
Inside size 7mm x 10mm.



## BG 47

### BG 47 S/S V JAMMING CLEAT

Hole Pitch 51mm with 2 mounting holes 5.2mm dia.



## BG 48(A-E)

### BG 48(A-E) S/S CHAIN PLATES


A - Small - 16mm W x 100mm L  
B - Medium - 19mm W x 120mm L  
C - Large - 19mm W x 200mm L  
D - Cover plate - 19mm W x 60mm L  
E - Reinforced Heavy Duty - 20mm W x 150mm L



## BG 49(A&B)

### BG 49(A&B) S/S CHAIN PLATE ADJUSTER

A - Small  
B1 - 10 Holes  
B2 - 7 Holes  
C - 7 Holes (heavy duty)



## BG 50(A1)

**BG 50(A1) 10mm Dia Main sheet single block with shackle mount and shackle**  
Nylon Sheave Wheel dia - 44mm.



## BG 50(A2)

**BG 50(A2) 10mm Dia Main sheet single block with shackle mount and shackle**  
Nylon Sheave Wheel dia - 44mm.





### **BG 50(A3)**

**10mm DIA Main sheet  
double block with shackle  
mounting**  
Nylon Sheave Wheel dia - 44mm.



### **BG 50(A5)**

**BG 50(A5) 10mm DIA Main sheet  
single block with swivel mounting**  
Nylon Sheave Wheel dia - 44mm.

### **BG 50(A4)**

**BG 50(A4) 10mm DIA Main sheet  
double block with swivel mounting**  
Nylon Sheave Wheel dia - 44mm.



### **BG 50**

**BG 50(B1) 10mm DIA Main  
sheet  
sister block with shackle  
mounting & shackle**  
Nylon Sheave Wheel dia - 44mm.  
Nylon Sister Sheave Wheel - 25mm.

### **BG 50(B2)**



**BG 50(B2) 10mm DIA Main sheet  
sister block with shackle mounting,  
shackle & becket**  
Nylon Sheave Wheel dia - 44mm.  
Nylon Sister Sheave Wheel - 25mm.



### **BG 50(C2)**

**BG 50(C2) Sister block fitted with  
adjustable BG cam cleat with sad-  
dle**  
Nylon Sheave Wheel dia -

### **BG 50(C1)**

**BG 50(C1) Single block fitted with  
adjustable BG cam cleat with saddle**  
Nylon Sheave Wheel dia - 44mm.



### **BG 50(D1)**

**BG 50(D1) Large single all plastic  
pulley block with becket**  
Nylon Sheave Wheel dia - 39mm.



### **BG 50(D2)**

**BG 50(D2) Large single all plastic  
pulley block without becket**  
Nylon Sheave Wheel dia - 39mm.



### **BG 50(D3)**

**BG 50(D3) Large double all  
plastic pulley block with becket**  
Nylon Sheave Wheel dia - 39mm.





### BG 50(D4)

**BG 50(D4) Large double all plastic pulley block without becket**  
Nylon Sheave Wheel dia - 39mm.



### BG 50(E1)

**BG 50(E1) Small single all plastic pulley block with becket**  
Nylon Sheave Wheel dia - 26mm.

### BG 50(E3)

**BG 50(E3) Small double all plastic pulley block with becket**  
Nylon Sheave Wheel dia - 26mm.



### BG 50(E2)

**BG 50(E2) Small single all plastic pulley block without becket**  
Nylon Sheave Wheel dia - 26mm.



### BG 50(E4)

**BG 50(E4) Small double all plastic pulley block without becket**  
Nylon Sheave Wheel dia - 26mm.



### BG 50(F1)

**BG 50(F1) Single S/S small fixed eyeblock without becket**  
Nylon Sheave Wheel dia - 26mm.

### BG 50(F2)

**BG 50(F2) Single S/S Small fixed eyeblock with becket**  
Nylon Sheave Wheel dia - 26mm.



### BG 50(F1(A))

**BG 50(F1(A)) Single S/S small fixed eyeblock without becket**  
Brass Sheave Wheel dia - 25mm.



### BG 50(F3)

**BG 50(F3) Single S/S small fixed eyeblock with side plate**  
Nylon Sheave Wheel dia - 26mm.

### BG 50(F4)

**BG 50(F4) Single S/S small fixed eyeblock without becket (2 pulleys linked)**  
Nylon Sheave Wheels dia - 26mm.



### BG 50(G1)

**BG 50(G1) Single S/S miniature fixed eyeblock**  
Nylon Sheave Wheel dia - 17mm.



### BG 50

**BG 50(G4) Triple S/S miniature fixed eyeblock**  
Nylon Sheave Wheel dia - 17mm.



### BG 50(G2)

**BG 50(G2) Double S/S miniature fixed eyeblock without becket**  
Nylon Sheave Wheel dia - 17mm.



### BG 50(G3)

**BG 50(G3) Single S/S miniature fixed eyeblock with side plate**  
Nylon Sheave Wheel dia - 17mm.




## **BG 50(H2)**

**BG 50(H2) Halliard pulley**  
36mm high  
Nylon Sheave Wheel dia - 26mm.



## **BG 50(H1)**

**BG 50(H1) Mini halliard pulley**  
Nylon Sheave Wheel dia - 17mm.



## **BG 50(H2(A))**

**BG 50(H2(A)) Halliard pulley**  
36mm high with side crops  
Nylon Sheave Wheel dia - 26mm.



## **BG 51(J)**

**BG 51(J) Alu slide with index pin,**  
with U Bolt, swivelling ferruled fairlead fitted with BG  
cam cleat and large saddle.



## **BG 51(K)**

**BG 51(K) Alu slide with index pin,**  
with U Bolt swivelling ferruled fairlead fitted to slide.




## **BG 51 STOPS**

Nylon Track Stops (Per set)



## **BG 51 SPACERS**

Nylon Track Spacers (Per set)



## **BG 52(A)**

**BG 52(A) Blank slide with nylon runners**  
(92mm long) Black or Natural anodised.




## **BG 53**

**BG 53 Blank slide with nylon runners**  
& index pin with knob  
(92mm long) Black or Natural anodised.



**BG 53(A) Blank slide with nylon runners**  
& index pin with pull ring  
(92mm long) Black or Natural anodised.



## **BG 53(A)**

## **BG 55**


### **BG 55 SKINFITTING**

Complete - 3 parts - 36mm thread dia x 40mm  
to fit 25mm ID pipe. Total length 88mm.  
Available in black or white.



## **BG 55(A)**

**BG 55(A) GRID FOR SKINFITTING**  
Available in black or white.



## **BG 55(B)**

**BG 55(B) NUT FOR SKINFITTING**  
Available in black or white.



## **BG 55(C)**

**BG 55(C) SKINFITTING BODY ONLY**  
Available in black or white.



**BG 56 Push in bung for skinfitting**

## **BG 56**



## **BG 57**

**BG 57 CATAMARAN MAST SWIVEL CHIP**



## **BG 59**

**BG 59 UTILITY PUMP**  
Bilge pump with filter.



**BG 60(A2&3)**

**BG 60(A2&3) MOTOWELL BOOTS**

(A2) - Small motowell boot only  
(A3) - Small trim ring only



**BG 60(B2&3)**

**BG 60(B2&3) MOTOWELL BOOTS**

(B2) - Large motowell boot only  
(B3) - Large trim ring only



**BG 61(A-E)**

**BG 61(A-E) KNOBS WITH S/S NUTS & BOLTS**


A - 20mm dia head with 5mm thread x 20mm long  
A1 - 20mm dia head with 5mm nut  
B - 40mm dia head with 6mm thread x 25mm long  
B1 - 40mm dia head with 6mm nut  
C - 50mm dia head with 8mm thread x 30mm long  
C1 - 50mm dia head with 8mm nut  
C2 - 50mm dia head with 10mm thread x 30mm S/S bolt  
D2 - 73mm dia head with 12mm full nut  
E - 40mm dia head with 8mm thread right through



**BG 62**

**BG 62 ROPE END STOPPERS**

Available in various colours.



**BG 65(A-C)**


**BG 65(A-C) GRAB RAILINGS**

A - End fitting with backing plate & 2 screws.  
B - Tee pieces with backing plate & 2 screws.  
Available in black or white nylon.  
C - Grab railing anodised aluminium tubing  
19mm dia x 2M length.

**BG 66(C)**

**BG 66(C) BAR CLEAT**

S/S - total length 82mm x 6mm



**BG 66(A&B)**

**BG 66(A&B) BAR CLEAT**


A - Small - 150mm long  
B - Large - 200mm long  
Available in black or white nylon.



**BG 67**

**BG 67 TRAPEZE HANDLE**


4mm dia Stainless Steel  
Total length - 190mm



**BG 67(B-D)**

**BG 67(B-D) S/S RINGS**

B - 5mm x 45mm OD x 35mm ID  
C - 4mm x 30mm OD x 22mm ID  
D - 4mm x 40mm OD x 32mm ID



**BG 68(I)**

**BG 68(I) PLASTIC EYELETS**

Available in black or white nylon.



**BG 69**

**BG 69 TOP MAST TOP PLUG**

Available in black nylon.





**BG 70**

**BG 70(Side) ROWLOCK  
WITH SIDE MOUNT BUSH**  
Made from Acetal (Hostaform).

**BG 70 (Top)**

**BG 70(Top) ROWLOCK  
WITH TOP MOUNT BUSH**  
Made from Acetal (Hostaform).



**BG 70(A)**

**BG 70(A) ROWLOCK  
TOP MOUNT BUSH ONLY**  
Made from Acetal (Hostaform).



**BG 70(B)**

**BG 70(B) ROWLOCK  
SIDE MOUNT BUSH ONLY**  
Made from Acetal (Hostaform).



**BG 70(C)**

**BG 70(C) ROWLOCK ON-  
LY**



**BG 72**

**BG 72 TOP MAST SLEEVE**  
Available in black nylon.

**BG 74**

**BG 74 TOP MAST  
BOTTOM PLUG**  
Available in black nylon.



**BG 73**

**BG 73 BOOM  
GOOSENECK PLUG**  
Available in black nylon.



**BG 75**

**BG 75 BOTTOM MAST  
BOTTOM PLUG**  
Available in black nylon.



**BG 76**

**BG 76 BEADING ENDS**  
Available in black nylon.



**BG 77**

**BG 77 PLASTIC GUDGEON**  
Available in black nylon.



**BG 79(A&A1) SMALL BOW ROLLER**

Total length - 200mm long x 90mm wide  
Roller wheel - 52mm dia x x38mm wide

**BG 79(A)**

**BG 79(A1)**



**BG 79(B1)**


**BG 79(B) LARGE BOW ROLLER**  
Total length - 220mm long x 130mm wide  
Roller wheel - 76mm dia x x39mm wide

**BG 79(B)**



**BG 80**


**BG 80 LARGE SAMPSON POST**  
Base - 86mm x 76mm  
Total height - 78mm high  
Stem - 38mm dia



**BG 80(A) SMALL SAMPSON POST**

Base - 59mm square  
Total height - 68mm high  
Stem - 25mm dia

**BG 80(A)**





**BG 81**


**BG 81 TRAPEZE HANDLE**  
Made from Acetal (Hostaform).



**BG 82(A1)**

**BG 82(A1) JAW SLIDE WITH EYE END**  
To be used with 22.2mm Alu tube.  
Available in black or white nylon.

**BG 82(B1)**



**BG 82(B1) DECK HINGE WITH EYE END**

To be used with 22.2mm Alu tube.  
Available in black or white nylon.

**BG 82(A2)**

**BG 82(A2) JAW SLIDE WITHOUT EYE END**

To be used with 22.2mm Alu tube.  
Available in black or white nylon.



**BG 82 (A3 & A4) Double Jaw Slide**  
With or without Eye End.

**BG 82 (A3 & A4)**

**BG 82**

**BG 82(B2) DECK HINGE ONLY**  
Available in black or white nylon.



**BG 82(C)**

**BG 82(C) EYE END ONLY**

To be used with 22.2mm Alu tube.  
Available in black or white nylon.



**BG 82(E)**

**BG 82(E) SIDE MOUNT DECK HINGE ONLY**

To be used with 22.2mm Alu tube.  
Available in black or white nylon.



**BG 82**

**BG 82(D)**

**BG 82(D) SIDE MOUNT DECK HINGE WITH EYE END**

To be used with 22.2mm Alu tube.  
Available in black or white nylon.



**BG 82(I)**

**BG 82(I) DECK HINGE WITH WING NUT ONLY**

To be used with 22.2mm Alu tube.  
Available in black or white nylon.



**BG 82(F)**

**BG 82(F) DECK HINGE WITH EYE END AND WING NUT**

To be used with 22.2mm Alu tube.  
Available in black or white nylon.



**BG 83**

**BG 83 GOOSENECK FOR ROTATING MAST**



**BG 86(A-D)**

**BG 86(A-D) S/S EYE BOLTS**

A - 8mm dia x 110mm long  
B - 8mm dia x 170mm long  
C - 8mm = 21mm ID x 100mm long - welded  
D - 6mm = 12mm ID x 55mm long - welded  
D1 - 6mm = 12mm ID x 80mm long - not welded



**BG 85(A-C)**

**BG 85(A-C) ANDY HOOKS**

A - Small  
B - Medium  
C - Large  
Available in black or white nylon.

**BG 84**

**BG 84 S/S PINTLES**

Pin - 33mm long x 9.5mm dia.  
To fit 26mm rudder blade.






# BOAT PARTS

Yacht, Dingy, Power Boat and Kayak Fittings

## BG 87(A&B) S/S TANGS FOR MASTS & BOOMS

A - Light Duty  
B - Heavy Duty  
Can be bent to fit various dia.




**BG 89(B)**

### BG 89(B) S/S ADJUSTABLE MAST STEP

137.5mm long with 10 holes and 2 Clevis pins & rings.

**BG 87(A&B)**



**BG 90(B)**

### BG 90(B) S/S ROPE YOKE

16.5mm inside width,  
13mm wide with 5.2mm holes.



**BG 91**

### BG 91 S/S HOOK

13mm wide with 2 mounting holes  
5.2mm dia. Total height 41mm.



**BG 92**

### BG 92 S/S SHROUD U BOLT

39mm Pitch, 6mm dia with 4 nuts & 4 washers.



**BG 94**

### BG 94 S/S GOOSENECK FOR FIXED MAST

Straps can be adjusted for various  
dia masts with 6 mounting holes 5.2mm dia.



### BG 95 S/S BOOM STRAP

13mm wide straps can be adjusted for various  
dia masts with 4 mounting holes 5.2mm dia.



**BG 95**

**BG 99**

### BG 99 TILLER LOCATING PIN

3mm dia x 61mm long.



**BG 97(A-C)**

### BG 97 S/S MAST TANGS

A - Single light duty - 12mm wide x 40mm long with 2 x 6mm holes  
B - Single light duty - 12mm wide x 60mm long with 2 x 5mm mounting holes  
and 1 x 6mm hole  
C - Single heavy duty 15mm wide x 40mm long with 2 x 8mm holes



**BG 101(A1)**

### BG 101(A1) SINGLE MINI BLOCK

With metal sides, without becket and  
25mm dia sheave wheel.



**BG 101(B1)**

### BG 101(B1) DOUBLE MINI BLOCK

With metal sides, without becket and  
25mm sheave wheel.



**BG 101(A2)**

### BG 101(A2) SINGLE MINI BLOCK

With metal sides, becket and  
25mm sheave wheel.



**BG 101(B2)**

### BG 101(B2) DOUBLE MINI BLOCK

With metal sides, becket and  
25mm sheave wheel.





**BG 101(C1)**

**BG 101(C1) TRIPLE MINI BLOCK**  
With metal sides, without becket and 25mm dia sheave wheels.

**BG 101(C2)**



**BG 101(C2) TRIPLE MINI BLOCK**  
With metal sides, becket and 25mm dia sheave wheels.



**BG 101(D1)**

**BG 101(D1) SINGLE BLOCK**  
With metal sides, without becket and 50mm dia sheave wheel.

**BG 101(D2)**




**BG 101(D1) SINGLE BLOCK**  
With metal sides, becket and 50mm dia sheave wheel.



**BG 101(E1)**

**BG 101(E1) DOUBLE BLOCK**  
With metal sides, without becket and 50mm dia sheave wheel.

**BG 101(E2)**




**BG 101(E2) DOUBLE BLOCK**  
With metal sides, becket and 50mm dia sheave wheel.



**BG 101(F1)**

**BG 101(F1) SINGLE BLOCK**  
With metal sides, without becket and 80mm dia sheave wheel.

**BG 101(F3)**



**BG 101(F3) SINGLE BLOCK**  
With metal sides, becket and 80mm dia sheave wheel.

**BG 103 TUBULAR JAM CLEAT**  
Made from Acetal (Hostaform).  
Hole Pitch - 54.5mm.



**BG 103**



**BG 104(B)**

**BG 104(B) TRAPEZE HARNESS HOOK**  
90mm x 85mm plate with 8mm dia hook.

**BG 105**



**BG 105 S/S ROPE HOLDER**  
Hole Pitch - 19mm.



**BG 106(A)**

**BG 106(A) PULPIT RAIL CLAMP**  
For 25mm dia tube made from black nylon.

**BG 106(B) PULPIT RAIL CLAMP**  
For 19mm dia tube made from black nylon.

**BG 106(B)**



**BG 107 SMALL SCREWED COCKPIT DRAIN OR SKINFITTING**  
To fit 19mm ID pipe - All pieces can be purchased separately. Available in black or white nylon.

**BG 107**



**BG 108(A&E)**

**BG 108 (A&E) SINGLE CHEEK BLOCK**  
80mm long x 25mm wide with 25mm dia x 8mm or 12mm sheave wheel with flat or curved base.



**BG 108(C)**

**BG 108 (C) DOUBLE CHEEK BLOCK**  
80mm long x 25mm wide with 25mm dia x 8.5mm sheave wheel with flat or curved base.



**BG 108(B)**

**BG 108(B) SINGLE CHEEK BLOCK**  
90mm long x 45mm wide with 44mm x 12mm dia sheave wheel with flat or curved base.



**BG 108(D)**

**BG 108(D) DOUBLE CHEEK BLOCK**  
90mm long x 44mm wide with 44mm dia x 12mm sheave wheel. Flat or curved base.




**BG 110(A)**

**BG 110(A) CATAMARAN JIB SLIDE**  
Made from Glass filled nylon, total length - 84mm.



**BG 111**

**BG 111 S/S MAST STEP**  
Step width - 40mm  
Step height - 140mm



**BG 112**

**BG 112 & 112(A) TILLER EXTENSION YOKE**  
S/S catamaran tiller extension yoke with clevis pin & ring. With 40mm or 60mm long bolt.



**BG 113**

**BG 113 S/S CLEW BLOCK**  
Sheave wheel 25mm dia x 12mm wide.




**BG 115(A&B)**



**BG 115(A&B) SKID COVER PLATE**  
A) Large 73mm long x 37.5mm wide x 20mm hole  
B) Small 50mm long x 28mm wide x 12mm hole

**BG 115(C&D)**



**BG 115(C&D) SKID COVER PLATE (HALF SIZE)**  
C - 35mm long x 37.5mm wide  
D - 24.5mm long x 28mm wide

**BG 117(A-C)**




**BG 117(A-C) S/S "S" HOOKS**

- A - 6mm dia - total length 49mm
- B - 8mm dia - total length 53mm
- C - 5mm dia - total length 55mm
- D - 3mm dia - total length 30mm

**BG 116(A-F)**

**BG 116(A-F) PLASTIC HINGES**


- A - Small hinge - 40mm x 18mm closed width
  - B - Medium hinge - 55mm x 19mm closed width
  - C - Large hinge - 70mm x 25mm closed width
  - D - Large heavy duty hinge - 78mm x 43mm closed width
  - E - Small hinge - 2 holes - 46mm x 24.5mm closed width
  - F - Small heavy duty hinge - 50mm x 44mm closed width
- All hinges are available in black or white nylon with s/s pins.



**BG 118(A-D)**

**BG 118(A-D) ROPE SHEAVE BOXES**

- A - Single Rope sheave box with 25mm black or white plastic sheave
- A1 - Double Rope sheave box with 25mm black or white plastic sheave
- B - Single Rope sheave box with 44mm black or white plastic sheave
- B1 - Double Rope sheave box with 44mm black or white plastic sheave
- C - Single Wire sheave box with 25mm Brass sheave
- D - Single Wire sheave box with 44mm Brass sheave



**BG 119 WINDSCREEN BRACKET**

Made from black nylon to fit tube 19mm dia.



**BG 119**

**BG 120**

**BG 120 S/S MIRROR**

Size - 100mm x 100mm.



**BG 121**

**BG 121 S/S SWIVELING CLEAT BASE**

To fit various cleats.



**BG 121(A) S/S SWIVELLING BASE**

With ferruled bulls eye & nylon base.

**BG 121(A)**



**BG 122(A)**

**BG 122(A) EXPANDING RUBBER TRANSOM DRAIN BUNG**

With 6mm S/S nut & bolt to fit 22mm ID tube.



**BG 122(C)**

**BG 122(C) EXPANDING RUBBER TRANSOM DRAIN BUNG**

With 6mm S/S nut & bolt to fit 19mm ID tube.



**BG 122(E)**

**BG 122(E) EXPANDING RUBBER TRANSOM DRAIN BUNG**

With 8mm S/S nut & shaft to fit 42mm ID tube.



**BG 122(B&D) S/S TUBE FOR RUBBER BUNG**

- B - 23mm ID x 50mm long
  - D - 19mm ID x 41mm long
- Manufactured from 316 S/S.



**BG 122(B&D)**

**BG 123(B - B2)**



**BG 123(B-B2) PLASTIC BALL & SEALS**

B - plastic ball for large & small scuppers

B1 - large scupper seal - rubber

B2 - small scupper seal - rubber

**BG 123(A)**

**BG 123(A) TRANSOM SCUPPER**

Small Plastic scupper with ball and seal.



**BG 123(C)**

**BG (123(C) SCUPPER CAGE ONLY**

Small - to be used with BG123(A).



**BG 123(D)**

**BG 123(D) TRANSOM SCUPPER**

Large plastic scupper with ball and seal.



**BG 123(E)**

**BG 123(E) SCUPPER CAGE ONLY**

Small - to be used with BG123(D).



**BG 123(F)**

**BG 123(F) SCUPPER**  
Clear inflatable boat scupper with hard ball



**BG 123(G1)**

**BG 123(G1) HARD PLASTIC BALL**

For inflatable boat scupper.




**BG 123(G)**

**BG 123(G) SCUPPER**  
White Inflatable boat scupper with hard ball.




**BG 127(A)**

**BG 127(A) SAIL BATTEN END PROTECTORS**  
For 10mm Battens.  
Available in black or white.



**BG 125**

**BG 125 S/S GUDGEON**  
With backing plate for optimist.



**BG 124**

**BG 124 S/S PINTLE FOR OPTIMIST**

Pin - 24mm long x 6mm dia.  
To fit 10mm rudder blade.



**BG 128(A-C)**


**BG 128(A-C) SAIL BATTEN PROTECTORS**

A - Small - oval - Catamaran jib

B - Medium - Catamaran

C - Large - Catamaran main sail

Manufactured in white nylon.



**BG 129 SAIL HEADBOARD**

140mm x 140mm Lafit.  
Manufactured in white nylon.



**BG 129**

**BG 130**

**BG 130 CLEW PLATE**

Manufactured from black or white nylon.



**← BG 131**

**BG 131 CUP HOLDERS**  
Available in black or white ny-

**← BG 132**

**BG 132 PRAWN PUMP**  
63mm dia tube x 810mm long  
plastic with S/S shaft.

**→ BG 134**

**BG 134 MOUTH  
FOG HORN**  
Plastic.



**← BG 135**

**BG 135 STEERING PULLEY BLOCK**  
39mm dia nylon Sheave wheel.



**← BG 136**

**BG 136 JERRY CAN FUEL PICKUP**  
Jerry can with fuel pick-up (old style)  
A - Jerry can cap only with sealing ring (old style)  
B - Jerry can cap with fuel pickup (Addis 25l can)  
C - Jerry can cap only with sealing ring (Addis 25l can)  
D - Jerry can cap elbow only



**→ BG 137(A)**

**BG 137(A) ROD HOLDER**  
Plastic tube with plastic clamps  
50mm dia tube x 220mm long



**BG 137(B) TROLLING  
ROD HOLDER**  
35mm ID S/S tube with plastic base clamps.

**← BG 137(B)**

**→ BG137(D)**

**BG 137(D) S/S ROD HOLDER**  
38mm OD tube x 200mm long with pin.



**BG 137(C) ROD HOLDER**  
Plastic tube only.  
50mm dia x 220mm long.

**← BG 137(C)**

**← BG137(F&G)**

**BG 137(F&G) S/S TROLLING  
ROD HOLDER**  
F - Large - 48mm ID tube with S/S base  
G - Small - 37mm ID tube with S/S base



**BG 137(E) TROLLING  
ROD HOLDER**  
35mm dia tube x 200mm long  
with single pivot pin & pipe clamp.

**← BG137(E)**

**→ BG137(I)**


**BG 137(I) TROLLING ROD HOLDER**  
35mm dia S/S tube x 200mm long  
with single stud 8mm dia x 20mm long.



## BG138(A-F)

### BG 138(A-F) S/S "D" RINGS

7.1mm dia x 50mm wide x 35mm high  
A - 4mm dia x 25mm wide x 20mm high  
A1 - 4mm dia x 32mm wide x 16mm high  
B - 5mm dia x 50mm wide x 35mm high  
B1 - 5mm dia x 40mm wide x 28mm high  
C - Square 5mm dia x 25.5mm wide x 14mm high  
D - 6mm Triangular "D" ring with centre bar  
D1 - 7mm Triangular "D" ring with centre bar  
F - 6mm dia x 50mm wide x 47mm high



### BG 139(A) DOUBLE PADDLE

Double plastic paddle with aluminium stem  
2.1m total length - splits in the middle.


## BG139(A)

## BG139(B,B1&D)

### BG 139(B,B1,&D) SINGLE PADDLES

Single plastic paddle with aluminium stem.  
B - 1.05 meters total length  
B1 - 1.28 meters total length  
D - 1.5 meters total length  
Available in black only.


Paddle blade, T-handle and double paddle connector available separately.



## BG140

### BG 140 PLASTIC HASP & STAPLE

With S/S pin.  
Available in black or white nylon.



## BG141(A-F)

### BG 141(A-F) INSPECTION HATCH COVERS

Available in black, white & grey or with a clear lid option.  
Sizes available

A - 6" (152mm) Complete (black, white or grey)  
B - 4" (100mm) Complete (black, white or grey)  
C - 6" (152mm) Complete (clear lid)  
D - 4" (100mm) Complete (clear lid)  
E - 8" (200mm) Complete (black, white or grey)  
F - 8" (200mm) Complete (clear lid)

Ring, lid & o-ring available separately.





### **BG142(B&B1)**

#### **BG 142(B&B1) 50° ROD HOLDERS**

Total height from under head - 150mm ID - 35mm

B - Open bottom

B1 - Closed bottom

Available in black or white ABS plastic.

### **BG142(A&A1)**

#### **BG 142(A) 90° ROD HOLDERS**

Total height from under head - 150mm ID - 35mm

A - Open bottom

A1 - Closed bottom

Available in black or white ABS plastic.



### **BG143**

#### **BG 143 JIGGLE PUMP**

Packaged.

Pipe size - 12mm ID x 2M long.



### **BG144**

#### **BG 144 PLASTIC MOTO MUFF**



### **BG146**

#### **BG 146 SHOCK CORD CLAMP**

Plastic. Suitable for use with 6mm dia shock cord or rope.  
Cord/Rope not supplied.

### **BG145(A-C1)**

#### **BG 145(A-C1) TELESCOPIC & FIXED BOAT HOOKS**

Standard - Extends from 1.3M to 2.2M

A - 1.8M long (fixed length)

A2 - 1.2M to 2.5M long

A3 - 1.7M to 3M long

B - 2.7M to 5M long

C - 3.1M to 6M long



### **BG147**

#### **BG 147 CANOE RUDDER STOCK WITH ROTATING BLADE**

S/S side cheeks with aluminium blade, locking tube and pin.

Total height - 500mm.




### **BG148**

#### **BG 148 ROPE REEL WITH HANDLE**

Reel size - 280mm dia x 300mm wide.

Suitable for rope up to 12mm dia.

Rope not supplied.





**BG150**

**BG 150 S/S BUCKLE**  
Used with 50mm webbing.



**BG149(C)**

**BG 149(C) CABLE ENTRY COVER PLATE**  
Used for kayak steering cables.  
Size - 63mm long x 37mm wide.

**BG151(A&B)**

**BG 151(A&B) LEVER LOCK TIE DOWNS WITH STRAPPING**

A - 5M strap length with buckle  
B - 3M strap length with buckle



**BG153 - BG158**

**BG 153 - BG158 U-BOLTS**

Are available in 4mm, 5mm, 6mm, 8mm, 10mm or 12mm material.  
Various thread lengths and pitches are available.  
All U-Bolts come with plastic nut covers and plates.  
Manufactured from 316 stainless steel.  
Please refer to price list for codes and options.

**BG156(G) - BG157(G)**

**BG156(G) & BG 157(G) DEAD EYE**  
To fit 8mm & 10mm U bolts.



**BG160 - BG172**

**BG 160 - BG 172 ALUMINIUM TRACKS**

Available in various lengths with or without index pin holes & countersunk screw holes.  
Black or natural anodising option available.  
Please refer to price list for codes and options.





**BG173**



**BG 173 WEBBING HANDLES**

Available in a round or flat option.  
Used for handles on canoes and kayaks.  
With 25mm webbing.



### **BG 174(A-H) KAYAK HINGED FOOT PEDALS**

A&B - Large hinged foot pedal

C&D - Small hinged foot pedal

A1&B1 - Large hinged foot pedal with alu slide & index pin

C1&D1 - Small hinged foot pedal with alu slide & index pin

A2&B2 - Large hinged foot pedal with side support brackets

C2&D2 - Small hinged foot pedal with side support brackets




E - Side support bracket only

F - Fixed foot pedal with alu slide & index pin

G1&G2 - Fixed foot pedal with large hinged foot pedal on alu slide & index pin

H1&H2 - Fixed foot pedal with small hinged foot pedal on alu slide & index pin

**Left and right options available as a set or to purchase individually.**



## **BG175(1-5)**

### **BG 175(1-5) DOOR & CUPBOARD CATCH**

- 1 - Large back mount (female)
- 2 - Small side mount (female)
- 3 - Standard back mount (male)
- 4 - 90° back mount (male)
- 5 - Spacer



### **BG 176 BREATHING BUNG**

Kayak breather bung with large deck bush.



## **BG176**

## **BG177(B)**

### **BG 177(B) KAYAK RUDDER** K2 aluminium stern rudder.



All parts for the K1 & K2 are available separately.

## **BG177(A)**

### **BG 177(A) KAYAK RUDDER** K1 aluminium stern rudder.



## **BG178(A)**

### **BG 178(A) RUDDER STOCK** Laser 1 rudder stock.



## **BG178(B)**

### **BG 178(B) RUDDER STOCK** Laser 2 rudder stock.



## **BG178(C)**

### **BG 178(C) RUDDER STOCK** Gypsy rudder stock.

